

MONARCH COIN & SECURITY INC.

FAMILY OWNED & OPERATED SINCE 1903

IMPORTANT INFORMATION ON ORDERS, WARRANTY, TERMS AND PRODUCTS

NOTE: Any prices quoted, on the web site or in our catalogue, are subject to change without notice. Please call for current pricing.

Monarch has a minimum order of \$50.00.

It is Monarch's intention to accommodate our customers, but we cannot assume unlimited responsibility for our products once they leave our control. These are not stand-alone products, but are used in conjunction with other appliances or devices. We cannot be responsible for the rest of the unit or its operation, nor assure that our products have been properly applied.

DISCLAIMER

A certain level of user familiarity with these products and a general knowledge of the industry in which they are used is assumed. This includes the certain knowledge that any determined individual with specialized tools, time, and opportunity may be able to defeat any acceptor, lock or coin box, through the use of carefully crafted slugs, foreign coins, bogus tokens, picks, or brute force. Customers assume the full responsibility of protecting our products from such attacks and the risks for failing to do so.

MONARCH DISCLAIMS ANY WARRANTY, EXPRESSED OR IMPLIED, VERBALLY OR IN WRITING, THAT MONARCH PRODUCTS WILL WITHSTAND ANY GIVEN ATTACK. MONARCH ASSUMES NO LIABILITY FOR ANY LOSS OR DAMAGE DUE TO ABUSE, MISUSE OR INAPPROPRIATE APPLICATION.

WARRANTY

Monarch products are warranted to the original buyer for a period of one year from date of sale against defects in material or manufacture. (NOTE: Most Monarch products are serialized or dated. Changes of these numbers or dates will void warranty. Such claims will not be honored.) This warranty does not cover units which have been inappropriately applied, abused, misused, vandalized, or disassembled by unauthorized persons. This warranty does not extend to other assemblies, electronics or any add-on components by other manufacturers, distributors, or end users. Any alterations, modifications or adjustments by other persons to the product will void any warranty claims. Buyers must be sure that all goods are properly protected from such mistreatment.

This warranty extends to furnishing replacement of any part(s) in exchange for those which may have failed. Part(s) will be invoiced when shipped by regular UPS, and credit issued upon return of the failed unit(s) at the customer's expense, provided examination indicates the part(s) failed within the terms of the warranty, and for proper cause. Monarch assumes no responsibility for service costs or lost revenues. Complete units returned will be reconditioned and returned to the customer, or replaced at the discretion of Monarch.

Timers are not covered for damage resulting from the application of inappropriate voltage or line surges, nor for any damage resulting from servicing the unit while power is applied.

Coin or token mechanisms as furnished by Monarch are relatively simple, inexpensive mechanical devices, and therefore limited in their sensitivity. Monarch makes every effort to avoid acceptance of undesirable coins or tokens, but provides no warranty that none will ever pass.

ORDER PROCESSING

Orders are filled based upon information furnished by the customer at time of order. Incomplete information may result in the receipt of incorrect materials. Orders filled incorrectly on our part will be corrected. Monarch makes every effort to verify the billing address, shipping address, phone numbers, and other information for a customer's account. However, it is the responsibility of the customer to inform us of any changes to their account to ensure a timely delivery of orders, and to avoid any added shipping charges due to incorrect information. In most cases, your account number IS your ten digit phone number. So it is important that you remember which phone number you have used in your initial order to simplify future transactions.

Orders filled incorrectly due to incorrect or insufficient information at the time the order is placed is the responsibility of the customer. Returns of unaltered units for the convenience of the customer will be subject to a 20% restocking charge. SEE "RETURNS POLICY" BELOW. <u>Units altered or used will not be accepted for credit.</u> NO CREDIT IS ISSUED FOR SHIPPING CHARGES IN ANY SUCH CASE.

ANY ERRORS MUST BE REPORTED WITHIN SEVEN (7) DAYS OF RECEIPT!
CHECK YOUR SHIPMENT CAREFULLY UPON DELIVERY

PAYMENT TERMS











Products may be paid for by Visa, Master Card, Discover Card, or American Express. A check with order is acceptable only if you have called for the total charges including any shipping charges. All payments must be made in US Dollars.

Open accounts may be established for Distributors and OEM's based on the completion, and satisfactory acceptance of a credit application. Accounts that are inactive for a prolonged period of time may have the status changed to "check with order" or "Credit Card Only" pending the completion and approval of a new credit application. In Kentucky, your Application must include your tax exemption certificate. Drop Shipments to locations within the state of Kentucky will be subject to sales tax, unless a valid Kentucky Sales Tax Exemption Certificate Number is furnished.

Overseas customers will be issued a Proforma Invoice based on your needs. Orders to be paid for by Master Card, Discover Card, Visa, American Express, or a wire transfer may be used, with an added \$50.00 to cover banking and documentation fees.

RETURN POLICY

ALL returns must have prior approval and must have a RETURNED MATERIALS AUTHORIZATION number on the package. No credits will be issued until goods have been received and inspected.
YOU MUST CALL FOR AN RMA (Returned Materials Authorization) Number BEFORE you make any returns.

All items will be inspected upon return. Your returned package MUST clearly show the RMA number on the outside. Any item returned at the convenience of the customer or due to incorrect ordering by the customer will be subject to a 20% restocking charge (This does not apply to warranty returns.) Special orders, or special orders for locks and/or keys will not be accepted for return.

Returns MUST be delivered by UPS or similar carriers. We recommend that you use appropriate packaging materials and insure the carton. We cannot be held responsible for returned items that are lost or damaged.

Returns must be addressed to:

Monarch Coin & Security, Inc. Attn: (Return Authorization Number here) 1512 Russell St., Bldg A Covington, KY 41011

LOCKS AND KEYS

OUR BOXES AND LOCKING EXTENSIONS ARE OFFERED WITH A CHOICE OF FOUR DIFFERENT LOCKS.



The least expensive (and least secure) is the TUBULAR LOCK. This is the tubular lock common to vending machines.





The NOVA lock, is a disc lock exclusive to Monarch, but similar to Abloy, KD or Baton. Nova Keys cut to code are available. Equivalent of GI Cobra and ESD XE Locks.





The TriGard is a 14 wafer, triple bitted lock exclusive to Monarch. Equivalent to GI Sentinel II or III, ESD XD and Duo





The MEDECO is machined from solid bar stock and anti drilling features are incorporated, Codes are NOT marked on the key, or on the lock. Key codes are restricted and blanks are not available.



NOTE- KEY CODES TO COIN BOXES ARE PROPRIETARY.

We do NOT sell keys to Greenwald or ESD coin boxes, nor do they sell keys to ours.

IT IS VERY IMPORTANT THAT YOU KEEP A RECORD OF YOUR KEY CODES! LOST/STOLEN KEYS CANNOT BE REPLACED WITHOUT THE CODE!!

SPECIAL ORDER LOCKS AND / OR KEYS

If you require a specific code, and IF it is a Monarch code, we will do our best to match it. However, if it is an older code, it must be ordered from the original manufacturer. This can take anywhere from 1 to 4 months!! All lock manufacturers have minimum orders, so we must accumulate orders to meet those minimums. Please be prepared for lengthy delays when trying to match older codes.

There are also older codes for locks that are obsolete. These keys are not available under any circumstances. Examples are KD locks, or Greenwald Sentinel (no number, just Sentinel), and Rampart locks. In such cases, the entire coin box must be replaced.



JEWEL BOXES

Standard Jewel Box (JBL)

For top load GE, older Speed Queen/Huebsch older Whirlpool, older Wascomat, and other front load washers and dryers

Approximate dimensions:

Face: Height 2 1/2", Width 3 3/4"

Tray length 6"




Extra Long Jewel Box (JBX)

For Dexter, Speed Queen/Huebsch, Wascomat,
Continental Girbau and
many other front load washers and dryers

Approximate dimensions: Face: Height 2 ½", Width 3 ¾"

Tray length 8"



* NOTE: Measurements are nominal. Your measurements may vary slightly. *

Jewel boxes are available with chrome, black or blue powder-coated face for the same price. Some Extra Long Jewel Boxes for some older IPSO machines will cost slightly more because of the adjustments to accommodate the variances in their vault fabrication.

GUARDIAN BOXES



GBS

For Kenmore washers and dryers

Approximate dimensions: Face: Height 3 1/2", Width 3 3/4" Tray Length 4"

GBL

For Older Whirlpool (manufactured before July 2000) older Maytag (manufactured before August 1996) and

many other washers and dryers

Approximate dimensions:

Face: Height 3 1/2", Width 3 3/4"

Tray Length 5 ½"



* NOTE: Measurements are nominal. Your measurements may vary slightly. *

GUARDIAN BOXES ARE AVAILABLE WITH CHROME, BLACK OR BLUE POWDER-COATED FACE FOR THE SAME PRICE.



GUARDIAN BOXES

GBX

For newer Whirlpool (manufactured after July 2000) newer Maytag (manufactured after August 1996) and newer GE

Approximate dimensions:

Face: Height 3 1/2", Width 3 3/4"

Tray Length 7"









GBE For newer Dexter and newer Speed Queen

Approximate dimensions: Face: Height 3 ½", Width 3 ¾"
Tray Length 8"

* NOTE: Measurements are nominal. Your measurements may vary slightly. *



TUBULAR



NOVA



TRIGARD



MEDECO

ABOUT LOCKING EXTENSIONS

When ordering extensions, there are a few things to be considered.

IS THE EXTENSION QUARTER TURN OR 360 DEGREE TURN?


Quarter turn extensions have a roll pin at the end that secures the coin box. The key turns only 90 degrees when opening the box.

360 Degree turn extensions require that the key be used to unscrew the extension from the back of the vault. These will have a threaded end.



HOW IS THE LENGTH OF THE EXTENSION MEASURED?

The length is referred to as the "A Dimension" (Refer to the diagram). It includes the body of the lock, but not the head. Measure from just under the head to either the roll pin (for 1/4 turn extensions) or to the end of the extension (in the case of 360 degree turn extensions)



MUST THE COMPLETE ASSEMBLY BE REPLACED OR CAN JUST THE LOCK BE REPLACED?

If the extension is held onto the lock with hex set screws, then you can replace just the lock. However, if the extension is held in place with a drive pin or is crimped on, then the entire assembly must be replaced.

ARE THE DIMENSIONS GIVEN EXACT?

The dimensions of each assembly are based on information from various equipment manufacturers. However, during production and fabrication of the meter cases and vaults, there can be some variation in tolerances. This is not so critical on 360 degree extensions, but there can be some trouble with the 1/4 turn extensions. If the box is too loose, there is room for prying. If the box is too tight, keys may break from the strain.

WHAT CAN BE DONE IF THE EXTENSION IS TOO TIGHT OR TOO LOOSE?

All MONARCH extensions are fitted with screws. Loosen the set screw and turn the extension to compensate for any variance in the machine. Be sure to keep the roll pin in the proper orientation to the flats on the lock. Then secure the set screws back in position.

MAYTAG

EXT010 (5.6" Long, 1/4 Turn)

For Maytag top load washer and side-by-side dryers prior to August 1996. The color of the coin box will be same as the machine.

EXT033 (8 1/8" long, 1/4 Turn)

For Maytag/ American 30# Stack (MDG32 Series)

EXT034 (9 7/8" long, 360° Turn)

Single load stack dryers or washer/dryer combo (Series 15 & 19)

EXT043 (9 1/8" Long, 1/4 Turn)

Maytag High Security Model

EXT044 (9 7/8" Long, 360° Turn)

Maytag High Security Model

IPSO/INTERNATIONAL

EXT015 (13 3/8 Long, 1/4 LEFT HAND TURN)
For Older Ipso, New Ipso take the JBX COIN BOX

AMERICAN DRYER

EXT013 (12 3/4" Long 1/4 Turn)

American Maytag AD30# STACK and 535, ADG 32 series

EXT014 (6 7/8" Long, 1/4 Turn)

American Small Stack Dryer ADG 215,230,235,236,286 & old Primus Stack

EXT038 (8 7/8" Long, 1/4 Turn)

ADC/WASCO Model 530, Each 530 requires 1 each of EXT038 & EXT013

EXT009 (7 1/4" Long, 1/4 Turn)

ADC Model 360X2

EXT028 (6 1/2" Long, 360° Turn)

Older Maytag *& ADC Model 24 and for older Dexter dryers

SPEED QUEEN / HUEBSCH

EXT020 (8 1/4" Long, 360° Turn) \rightarrow 18 threads per inch - course thread Speed Queen Load Star

EXT021 (10 3/4" Long, 1/4 Turn)

Old Speed Queen / Huebsch 30# Stack Dryer

EXT025 (10 1/4" Long, 360° Turn)

Speed Queen Supermate and old Primus

EXT026 (8 1/4" Long, 360° Turn) → 24 threads per inch - fine thread Speed Queen / Huebsch Superload

EXT027 (15 3/4" Long, 360° Turn)

Speed Queen Super Two Washer

MILNOR

EXT019 (15 1/2" Long, 360° Turn)
Milnor Long Extension

VERTICAL 8



Shipped decaled and set to your order
Accepts up to \$2.00 in one push
Sensitive gauging
No disassembly to change pricing
No additional parts to buy to change pricing
Available in chrome or black

VERTICAL 15

Shipped decaled and set to your order
Accepts up to \$3.75 in one push
7 slots accept 2 quarters side-by-side
1 slot accepts 1 quarter to allow
\$.25 price increases
No disassembly to change pricing
No additional parts to buy to change pricing
Available in chrome or black
Shipped with 4" x 6" "Two coin" decal



NEED PRICE CHANGE INSTRUCTIONS?
VISIT OUR WEBSITE

VERTICAL 8

FOR TOKENS AND MANY FOREIGN COINS



Made to accept standard round tokens
Or "DD" token and many foreign coins
Examples: Canada, Australia,
New Zealand, Taiwan, Mexico, and
the Euro (Call for size restrictions)
Shipped decaled and set to your order
Can be made to accept 2 styles of coin
For example: 5 slots accept Canadian Loonie
3 slots accept a quarter
Available in chrome or black

VERTICAL 16

Shipped and decaled set to your order
Accepts up to \$4.00 in one push
8 slots accept 2 quarters
\$.50 price increases
No disassembly to change pricing
No additional parts to buy to change pricing
Available in chrome or black
Shipped with 4" x 6" "Two Coin" decal



NOTE:

ALL MONARCH COIN OR TOKEN CHUTES ARE INTERCHANGEABLE
WITH GREENWALD OR ESD CHUTES

MODEL 444 CHUTES FOR COIN, TOKEN OR TOKETTES I, & II

FOR A SINGLE COIN, TOKEN OR BREAKABLE TOKETTES

INTERCHANGEABLE WITH ALL OTHER PUSH/PULL STYLE COIN CHUTES

AVAILABLE IN TRADITIONAL CHROME OR ATTRACTIVE BLACK POWDER COAT FINISH

THE USE OF TOKENS ELIMINATES COINS IN THE MACHINES THAT MAY TEMPT THIEVES

MANY TOKENS STYLES ARE AVAILABLE

MADE IN THE USA!





OVER 10 MILLION SOLD

OVER 80 YEARS OF RELIABLE SERVICE

OPENING ON SLIDE ACCEPTS
ONLY THE SHAPE MADE
TO FIT IT

NO OTHER COIN WILL PASS

CONVENTIONAL ROUND TOKENS & DOUBLE D LESS EXPENSIVE THAN SECURITY TOKENS BUT ALSO VERY COMMON IN ARCADES, TRANSIT SYSTEMS AND OTHER APPLICATIONS



Double D



.880



.900



.984



1 Inch

FLAT HIGH SECURITY TOKENS



These special reusable brass security tokens are designs that are proprietary to MONARCH. So, they offer a greater level of security than conventional tokens. The unusual shape makes it difficult to create false tokens.



LUGGED HIGH SECURITY TOKENS





THESE ARE SPECIAL BRASS REUSABLE TOKENS THAT ARE ALSO PROPRIETARY TO MONARCH. THE SMALL BUTTON EXTRUDED IN THE MIDDLE IS AN IMPORTANT PART OF THE GAUGING PROCESS IN THE MODEL 444. WITHOUT THIS DETAIL THE CHUTE DOES NOT WORK. THIS MAKES FOR A TOKEN EXCEEDINGLY DIFFICULT TO DUPLICATE.





THIS OFFERS THE HIGHEST SECURITY AVAILABLE IN A TOKEN

TOKETTES are single use, breakable plastic tokens that remove some of the risk of having cash in the coin boxes of machines in high risk areas. They are ideal for apartment complexes & institutional applications. Tokette I and Tokette II available in black only. It is important to specify which tokette you are using by its style number.





MONARCH IS THE ONLY MANUFACTURER OF THE TOKETTE CHUTE.

BRASS PRICES HAVE BEEN ERRATIC, PLEASE CALL FOR CURRENT PRICING

LAUNDRY KITS

"KITS" ARE FOR USE ON COMMERCIAL COIN-OPERATED MACHINES. THEY CANNOT BE USED TO CONVERT A DOMESTIC MACHINE TO **COIN OPERATION**

New machines are sometimes shipped without the coin acceptor, coin box, mounting bolt and operating extension. They will usually require a kit to put the machine into service.

When purchasing used equipment, check with the seller to see if these items are included; used machines may have had some or all of these items removed.

Please select the appropriate kit for your machine.

A kit consists of the coin chute, appropriate coin box, mounting bolt, and operating extension with screws.

** NOTE: SERVICE DOOR LOCKS ARE SOLD SEPARATELY **

(Stack units usually require only one service door for every two kits)

SPECIAL NOTES ABOUT KITS

Over the years, many brands of machines have had engineering changes that will affect which components will be required. When servicing or purchasing used equipment, have an idea of the year of manufacture. The information furnished is based on current production. Changes made by any manufacturer may change what you will need.

The more complete your information when you call, the smoother the transaction, and the better we can serve your needs. Accurate orders begin with accurate information.

CHECK OUT OUR WEBSITE



COIN CHUTE / KIT ACCESSORIES




15A-001 GE /Speed Queen

> 15A-002 Whirlpool

15A-002M Maytag







Wascomat 15A-005 or "New" G.E. Dryer



Whirlpool Dryer 15A-008



G.E. Dryer 15A-003





The Universal Switch Kit For Use on WHIRLPOOL EMS 1000 AND ADVANTECH & SPEED QUEEN HORIZON







No disassembly of chutes to install
One kit fits ALL chutes!
Simplify inventory
Time saver for service calls!

Whirlpool Universal Switch Kit P/N 16A-KIT-03

CHECK OUT OUR WEBSITE

SERVICE DOOR LOCKS

Most common numbers readily available.









It is worth noting that the number of codes in general use for service doors is limited. Examples are AGR800 or AGR100. These are very common. Many codes have been in use for many years and so keys may be too readily available to unauthorized persons. In addition to this risk, tubular style locks are too easily picked. We offer TriGard locks to avoid this.



Cams & Collars





Cams for Service Door and Lint Door Locks Standard sizes shown - also for older Maytag, ADC Dryer and GE Double locking cam. Other sizes available in lengths from 1 1/4" to 2 5/8"



14F-001 Large Security Collar

Add to exposed locks to prevent twisting with vise grip pliers or a wrench

DECALS



\$9.50





Rectangular Decals from 25¢ to \$9.50 including "Quarters Only" and "Tokens Only" 18 Decals Per Sheet

TWO PIECE DECALS FOR MONARCH VERTICALS



Sold in sets of 10 per strip
One piece shows vend price
One piece shows which slots
receive coins



COIN BOX GUARDS


Guard slides into the meter case & covers the coin box. Secures with a padlock







An inexpensive way to keep your money safe.



BRAND	HEIGHT	WIDTH	PART#
GE	3 5/8"	3 13/16"	SG-CB-GE
KENMORE	4 1/8"	4"	SG-CB-KNM
MAYTAG	3 15/16"	4"	SG-CB-MTG
MAYTAG	3 1/8"	3 5/8"	SG-CB-MTG-OLD
SPEED QUEEN	3 7/16"	3 15/16"	SG-CB-SQ
SPEED QUEEN	4 1/8"	4"	SG-CB-SQ-T
SPEED QUEEN (STACK MACHINE)	CALL FOR DETAILS		SG-CB-SQ-STK
WHIRLPOOL	4 1/4"	4"	SG-CB-WP
WHIRLPOOL	3 15/16"	3 15/16"	SG-CB-WP-NEW
WHIRLPOOL	3 11/16"	3 15/16"	SG-CB-WP-2011
WHIRLPOOL (STACK MACHINE)	2 13/16"	3 15/16"	SG-CB-WP-STK

Measure the inside dimensions of the coin vault; height and width.

Do not include the edge of the meter case in your measurements.

** Padlocks sold separately **



QUESTIONS? CALL US AT 800-462-9460

FULL GUARD KITS

Full "body armor" for most top load and side-by-side dryers.

Covers the coin box and service door.

Kit consists of guard, lock down bracket and

360 turn lock assembly

EASY INSTALLATION!

(Speed Queen shown for illustration)



Remove service door



Insert lock down bracket



Slide armor on from front



Insert lock assembly and screw down into lock down bracket



Kits come with Trigard lock assembly, other locks available. Prices vary.



GENERAL ELECTRIC

10-FGC-GE-SM

- * Access panel on left side of meter case
- * Back of metercase has slope
- * Coin box measures approx. 2 1/2" tall, 6" long




10-FGC-GE-SM-SL

- * Access panel on left side of meter case
- * Back of meter case has 90 degree angle (no slope)
- * Coin box measures approx. 2 1/2" tall, 6" long



- * Access panel on top of meter case
- * Coin box measures approx. 3 1/2" tall, 7" long



SPEED QUEEN/HUEBSCH

10-FGC-SQ

* Height of coin box approx. 2 1/2" tall

10-FGC-SQ-T

* Height of coin box approx. 3 1/2" tall

MAYTAG

10-FGC-MTG-4716

- * Meter case is approx. 8" tall
- * Measure access panel!!
- * Approx. 3 7/8" x 6" OR 3 1/2" x 6 1/8")

10-FGC-MTG-418

- * Meter case is approx. 7" tall
- * Access panel is approx. 3 1/2" x 6 1/8"
- * Can only use 1/4 turn extension
- * Must be special ordered!

WHIRLPOOL

10-FGC-WP-RHT

* Looking at machine Meter case on right

10-FGC-WP-LHT


* Looking at machine Meter case on left

* PLEASE NOTE!! Some newer machines will take a Maytag guard. Look to see how the meter case



10-FGC-WP-RHT

meets up to the back splash



10-FGC-MTG-4716

KENMORE

10-FGC-KNM-RHT

- * Looking at machine Meter case on right
- * Center of service lock 3 1/8" from rear

10-FGC-KNM-LHT

- * Looking at mahcine Meter case on left
- * Center of service lock 3 1/8" from rear

The KEY KOPTM

LOCKING KEY RINGS CHOICE OF 3 LOCK STYLES TO MATCH YOUR SECURITY NEEDS TUBULAR, DUO, OR MEDECO



FLORESCENT GREEN

GLOW IN THE DARK

COLOR CODING FOR VARIOUS

ASSIGNMENTS OR SHIFTS


The KEY KOPTM

LOCKING KEY RINGS
CHOICE OF 3 LOCK STYLES TO MATCH YOUR SECURITY NEEDS
TUBULAR, DUO, OR MEDECO

ONLY PERSONNEL WITH THE PROPER KEY CAN UNLOCK THE RING AND REMOVE OR CHANGE KEYS!!

- * 600# TEST CABLE
- * STAINLESS STEEL SPRING OVERWRAP
- * SOLID MACHINED ALUMINUM BODY
- * PROTECTIVE COLOR CODED BOOTS
- * KEY KOPS MAY BE KEYED ALIKE, KEYED IN GROUPS, OR ALL DIFFERENT
- * POLYURETHANE BOOTS COME IN 16 DIFFERENT COLORS TO ALLOW COLOR CODING FOR VARIOUS ASSIGNMENTS OR SHIFTS

CABLES COME IN 4 SIZES: (MEASURED WHEN CABLE IS UNLOCKED AND EXTENDED)



...OR ORDER ONLINE AT WWW.KEYKOP.COM

Tactical Belt Clips

These strong welded steel clips require a positive unlocking action to remove the key ring from the operators belt. The operator's belt is passed through the clip.

No accidental loss of rings that have slipped from a regular clip.

Thieves cannot grab
the ring & run.
Sized to fit on most utility belts.
Black matte finish powder
coated steel



The VALUE VAULT TM is an inexpensive,

compact, tough, locking strongbox for use in dormitories, hotel/motels, locker rooms, boats, trucks, pools, small businesses, and other locations requiring a way to secure wallets, money, watches, jewelry, keys, passports, and other small valuables.

Properly anchored to a floor or wall, or under a counter, this heavy gauge welded steel powder coated case receives a box locked into place on all four sides, presenting a formidable but affordable solution to personal security.





The unit is available with a choice of two locks, according to the level of security desired: TriGard or Medeco.

Outer shell dimensions are 4 3/8ths inches by 4 3/8ths inches by 8 $\frac{1}{2}$ inches long. The inner tray is 3 1/4 H by 3 $\frac{1}{2}$ wide by 63/4 long. Two keys with each box. Multiple units available keyed alike, or keyed differently.

OPTIONAL FEATURES

CARRYING HANDLE
MILLED SLOT FOR DROP ENTRY
OF KEYS, BILLS, ETC.
OTHER LOCKS AVAILABLE
CALL FOR DETAILS

FOR MORE INFORMATION ON OUR PRODUCTS
Call us at 800-462-9460
Fax us at 859-261-7403
or email us sales@monarchcoin.com

SOAP VENDORS



M-294
11 1/4 x 37 1/2 x 9 1/2
63 Pounds



M-394 16 1/4 x 37 1/2 x 9 1/2 80 Pounds



M-494 21 1/4 x 37 1/2 x 9 1/2 98 Pounds



M-894 42 x 42 1/2 x 9 1/2 200 Pounds

CHANGE MACHINES

(AMERICAN CHANGER)





PLEASE CALL FOR MORE INFORMATION 1-800-462-9460

COIN, TOKEN, OR PUSH BUTTON METERS

FOR OUTDOOR RECREATIONAL LIGHTING, SHOWERS, HEATERS, AND MUCH MORE!



WHY USE A TIMER ON SHOWERS, LIGHT OR ANY OTHER APPLICATION?

As a business owner, you want to provide all the amenities that your patrons expect, but you also want to control usage to keep costs down. If water or electricity is being wasted, that will cost you money! Adding a meter can help generate revenue to offset costs or you can use tokens if you don't wish to charge, but want to control who is using the facilities and for how long. We also offer a push button meter that allows you to control usage without having to use coins or tokens.



HM5 series meter housing uses either the Vertical 8 / Vertical 15 or Model 444 acceptor with Jewel style coin box. The service door is located in the rear of the unit. Available in black powder coat finish only.





HM6 series meter housing uses a coin drop acceptor with Guardian style coin box. Access is through the front. Available in black powder coat or brushed stainless finish.



PUSH BUTTON timer is a NEMA 4x, non-coin option, timer and button are contained in one compact unit.



HM5 and HM6 series housings feature heavy guage welded steel.



We offer different timer styles for use in meters.

Available in 24, 110, and 220 volt / 15 second or 2 minute increment time settings.

SINGLE SHOT - 1 coin or token (or 1 push for HM5 series with Vertical or Model 444 acceptor or push button meter) will start the unit. The customer cannot add more coins or tokens until the cycle has finished.

ACCUMULATING - Can be set for 1 to 7 coins or tokens to start the unit. Each additional coin or token after will add more time.

BUZZER - Can be added to the meter to alert when time is about to expire. **NOTE: when used with accumulating timer, if more coins or tokens are added before time expires, cycle will continue without power interruption.



15 SECOND INCREMENT TIMER- The value of each coin, token or push is equal to any increment of 15 seconds. (ie: 15, 30, 45, etc.) If used with a buzzer, it will alert when 1 minute remains.



2 MINUTE INCREMENT TIMER - The value of each coin, token, or push is equal to any increment of 2 minutes. (ie: 2, 4, 6, etc.) If used with a buzzer, it will alert when 2 minutes remain.



Add the "Aqua-Miser" shower power kit to control showers at campgrounds, truck stops, parks, beaches, and more!

Includes inline valve and transformer.



NEED MORE INFORMATION? HAVE A QUESTION? VISIT OUR WEBSITE: WWW.MONARCHCOIN.COM EMAIL: SALES@MONARCHCOIN.COM CALL: 800-462-9460

UNIVERSAL COIN / TOKEN OPERATED DOOR LOCK





- * Tough, black powder coat finish
- * Pass key for attendants
- * Separate key for collections
- * Large capacity coin box (holds 125 coins / tokens)
- * For token, quarter, or to accept BOTH
- * No lease, you own it!

WHY USE A TOKEN OPERATED DOOR LOCK?



By using tokens, you get face-to-face contact with who is using your facilities. Minimize waste and damage by limiting who goes in!
Limit usage to YOUR customers only!



A door closer (not furnished) must be installed on the door for proper operation.

The user inserts a coin or token into the entry slot on top of the unit, turns the handle, and enters.

As the door closes, the coin or token drops into the coin box, the door then locks behind the user and the outside displays "IN USE". No coin or token can be inserted* and the user is secure in the facility.

When the user exits the facility, the inside handle turns and when door closes, it will latch and show "VACANT" in the window. The lock is ready to accept the next coin or token.

The locks come with two pass keys, to allow attendants access when necessary, and two coin box keys, to access coins or tokens.

** A special version is available that will allow multiple users.

BEFORE YOU ORDER!!

These locks are custom manufactured to each installation. You MUST complete the order form and email or fax it to us.

Or you can order online at www.coinoperatedproducts.com

We build YOUR lock based on the information YOU provide on this form!



UCL / RESTROOM LOCK ORDER FORM

FOR COIN /TOKEN OPERATED DOOR LOCKS

ALL AREAS WITH A CHECK BOX MUST BE CLEARLY MARKED!

<u>COIN TYPE</u> - PLEASE CHE	COIN TYPE - PLEASE CHECK THE APPROPRIATE BOX				
☐ MONARCH RESTROOM TOKEN ☐ U.S	QUARTER				
**Note: All token units are standard with .900 Monarch Res Tokens. Non-US Currency and custom tokens can be acc an additional charge of \$25 USD per unit. For more information of the contact us. Token/Quarter combos MUST be .900 token.	comodated for WILL INCLUDE 50 FREE TOKENS				
DOOR THICKNESS - MEASURE TO NEAREST	1/16 INCH ADDITIONAL TOKENS (minimum 200)				
MY DOOR IS INCHES THICK (inches ar	nd fractions) I WOULD LIKE TO PURCHASE ADDITIONAL TOKENS				
DOOR CONSTRUCTION - PLEASE CHECK THE APPROPRIATE BOX					
□ WOOD DOOR / WOOD FRAME	☐ WOOD DOOR / METAL FRAME				
☐ METAL DOOR / WOOD FRAME	☐ METAL DOOR / METAL FRAME				
SINGLE OR MULTIPLE USER DOOR - PLEASE CHECK THE APPROPRIATE BOX					
☐ SINGLE USE	☐ MULTI USE				
Multiple use doors allow more than one patron in the facility at a time while the single use operation requires the occupying patron to leave the facility before the lock will accept another coin and allow entry.					
DOOR STYLE OPERATION - PLEASE CHECK THE APPROPRIATE BOX					
LOCK IS SOLD STANDARD WITH A SHORT HANDLE. LONG HANDLE IS AVAILABLE UPON REQUEST FOR AN ADDITIONAL \$20 USD There will be a 20% re-stocking fee for all units returned	UCL-OL UCL-OR BY H For any reason. Technical support available 8am-3pm EST				
I understand that the information furnished will be used to produce a door lock according to my specifications. I understand that adjustments to correct inaccuracies or changes will entail additional charges. One year warranty is provided with this product but does not cover abuse, mis-use, vandalism, or incorrect installation. Lock must be returned to Monarch Coin & Security for repair at our facility for warranty work. Parts can be purchased by customer through Monarch Coin & Security inside the one year warranty period if they choose to do the repairs themselves on site. My signature indicates acceptance of these terms.					
BUSINESS NAME ADDRESS					
CITY STATE	ZIP EMAIL				
PHONE NUMBER FAX NUMBER					
CREDIT CARD #	EXP. DATE SECURITY CODE				
PRINT NAME	SIGNATURE				



OFFICE: 859-261-4421 TOLL FREE: 800-462-9460 FAX: 859-261-7403









Ph: 800-462-9460 / 859-261-4421

Fax: 859-261-7403

MONARCHCOIN.COM

KEYKOP.COM

COINOPERATEDPRODUCTS.COM

COVINGTON, KY